

FIG. 1




FIG. 1




FIG. 2




FIG. 3c




FIG. 4a




FIG. 4b




FIG. 4c

500





FIG. 5a






FIG. 5b



Simply note - can be in either
to particular computer system

- For Training, in particular, it is necessary to have a good engine

FIG. 6a.



Specific steps are
 - end of the analysis
 - used as "speech correction"




FIG. 7a




FIG. 7b




FIG. 7c




FIG. 7d




FIG. 7e




FIG. 8a




FIG. 8b




FIG. 8c




FIG. 8d

Conversance Engine



524

741

History Engine

525

751



uses
group
role
use,
etc.

FIG. 8e

FIG. 8f

Info Retriever

527

761




FIG. 8g

not on split
- check out
current "abst"
and prob
... ..

- Review
Security
for computers
- Note extra causes
Executor function
- Make sure download
of "control act"
is correct
- and particularly - "attaching to"

and into user
... ..

... ..
... ..
... ..




FIG. 6A




FIG. 6B




FIG. 6C

OCD

FIG. 6D







FIG. 6E



OCD



① user ← initially ongoing boxes (internal)

- MIC ID (eg 2 digits) ← as ID
 - touch ← come ID'd as entering ID - can analyze so speaker can say into 1-N for N users
 - voice print
 - localizer (eg using multiple mics to sound energy)
 - seating
 - etc.
 - anonymous
- a voice print is other ID
 if a further identified locally, with an authentic... theory on...
 → when unique mic ID's, can easily record, but still need ID for use if transfer is applicable.

1.00120-0690660




FIG. 8




FIG. 5
(VI Converter)

Application
Program
Screenshot

File	Edit	View	Tools	Message
News	Reply	Forward	Print	Delete Send Addresses

Inbox :				
Folder	Flag	To:	From:	Subject:
<input type="checkbox"/> Mailbox	<input checked="" type="checkbox"/>	Tom	Bob	Gift
<input checked="" type="checkbox"/> Inbox		Tom	Dave	Patent
<input type="checkbox"/> Sent		Tom	Fred	Car
<input type="checkbox"/> Work		Tom	Brenda	Dinner
<input type="checkbox"/> Jokes				
<input type="checkbox"/> Trash				

FIG. 10

Example
Command
Execution
Modules

Using Generic Roots

Manipulating The Interface

Traversing The Interface

Sorting Messages

Merging Messages

Interacting with the
Address Book

Controlling Data Remotely

Using Alternatives

Using Enhancements

Using Substitutes

FIG. 1A




FIG. 11B




FIG. 12

ContactName - Properties

Sum

Name

Home

Biz

Pers

Other






FIG. 14

090590-07301



For Little Talker Forum

Continue / repeat / stop




Remote Handling (predominant circumstances)

(Traditionally - need interface built)


Enhance command

circled not frequently over





get out not see

1st with + under




Divided from or not-highlighted list



- Each potentially including data carrying
- The forms (primarily) better linked up

Illustrated very folders, but applies to any such re-direction!



eg: Goto <Folder> Message

